


# ***DENSO***

**NEW VS SERIES  
H<sub>2</sub>O<sub>2</sub> / UV RESISTANT**



**Specialised robot for Pharmaceutical  
& Medical Industries**

[www.densorobotics-europe.com](http://www.densorobotics-europe.com)

# NEW VS H<sub>2</sub>O<sub>2</sub> /UV SERIES

PRECISE. FAST. COMPACT. RESISTANT.

As the established market leader in the small assembly industrial robots segment, DENSO Robotics continues to set the benchmark in reliability, flexibility and functionality. **With more than 60,000 DENSO robots installed across the globe- 16,000 of which are employed in its own manufacturing facilities-** no other company has more knowledge or expertise.

DENSO Robotics follows the needs of growing markets and presents functional, innovative and high-quality products.

The DENSO 6-axis **New VS H<sub>2</sub>O<sub>2</sub>/UV Series** offers a sleek and futuristic design that is suitable specifically for a cleanroom environment. The New VS H<sub>2</sub>O<sub>2</sub>/UV Series complies with sanitary standards such as IPA and UL. In addition, it is resistant to strong sterilization chemicals such as H<sub>2</sub>O<sub>2</sub> spray and Ultra Violet light, it has a sanitary design and it is easy to maintain. All while preserving DENSO's fast, precise, compact and now highly resistant image.

## Features

- Cleanroom ISO 5
- H1 Grease
- Certification: IPA & UL (in progress)
- Mounting options: floor, ceiling, wall

Mounting Options



## Industries

- Pharmaceutical
- Medical
  - Medical devices
  - Medicine
  - Cell culture



## Applications

The New VS H<sub>2</sub>O<sub>2</sub> /UV robots are the ultimate solution for the following applications:

- Material handling
- Pick & place
- Packaging
- Customised projects



PAYLOAD: 4 kg | ARM REACH: 520 mm




**Internal Wiring.** When connecting a flange or any other device, all wiring is internal to prevent both tangling and destroying the wires with strong chemicals while cleaning.

**Round Forms.** Hinders the accumulation of bacteria in hard to reach places.

**Hygienic Design.** Shiny and smooth surface is easy to clean and to spot dirt.

**No Screws.** Inhibits bacteria from collecting under screw heads.

**Bottom Connector Cable.** Seals all cables in and keeps bacteria out.



[www.densorobotics-europe.com](http://www.densorobotics-europe.com)



- Germany (Headquarters)
- Austria | Benelux | Denmark (covers Norway) | Finland | France | Israel | Italy | Lithuania (covers Latvia) | Romania (covers Hungary) | Serbia (covers Slovenia, Croatia, Bosnia & Herzegovina, Montenegro, Macedonia & Bulgaria) | Spain | Sweden | Switzerland | Turkey | United Kingdom (covers Ireland)

## Headquarters:

DENSO Robotics Europe | DENSO EUROPE B.V.

Waldeckerstr. 9, 64546 Moerfelden-Walldorf, Germany

t: +49 (0) 6105 27 35 150 f: +49 (0) 6105 27 35 180

@: [info@densorobotics-europe.com](mailto:info@densorobotics-europe.com) (commercial information)

@: [support@densorobotics-europe.com](mailto:support@densorobotics-europe.com) (technical support)

For more information



The QR-Code's inventor